

## EQUIPMENT GUIDE

Equipped to serve you better.




# contents

- 1 The ALL Legacy
- 4 Crawler Cranes
- 12 Hydraulic All Terrain & Truck Cranes
- 18 Hydraulic Rough Terrain Cranes
- 22 Industrial/Carrydeck Cranes
- 24 Tower Cranes
- 28 Aerial Boom & Scissor Lifts
- 32 Telescopic Forklifts
- 34 Boom Trucks
- 36 Heavy Hauling & Specialized Transport
- 37 Locations & Contact Information



*Equipped to serve you better.*



Our multi-generational families are an integral part of the ALL Family of Companies, lending their experience and infusing new energy.

### A LEGACY OF EXCELLENCE

In 1964, the ALL legacy began with three brothers and one crane. Three generations later, our business values echo the family values handed down by our founders. We base our daily operations on their unshakable code of conduct.

That is our legacy, and we keep it alive by continually reinvesting in our business with the best equipment, training, and technology to help us serve you better. It means expanding our local yards based on demand while growing our Family of Companies strategically. It's what you expect—and what you get—when you choose ALL.

Since our founding, three generations of excellence have left their mark. Many of our experienced employees have grown up in our family of companies, lending a lifetime of experience and expertise. Fathers bring their sons into the fold because they're crane people, born and bred. Many have stayed with us for a whole career.

Our crane industry veterans have a wealth of knowledge to share. Our seasoned veterans mentor new hires to give them a foundation like no other. That support is the reason our employees stay ... thrive ... and help us grow.



Nearly 50 years of continuous growth uniquely positions the ALL Family of Companies to better serve our customers. Our fleet is second to none, and our generations of experience, exceptional service, and highly trained personnel make us a leader in our industry.



# equipped to serve



## A FLEET WITHOUT EQUAL

- Our world-class fleet is North America's most technologically advanced, made up of the industry's best brands. We take pride in the depth, diversity, and quality of our lift equipment.
- Few crane rental companies possess the potential for understanding machine behavior like ALL does, because very few fleets compare to ours. Our vast fleet means you get the right crane for the job—nothing less.
- Our tradition of buying first-off-the-line new crane models makes our fleet second to none in technological capabilities. Newer cranes with newer technology—that's a winning hand when time, safety, and finesse matter.

## SERVICE AND SAFETY

- Our 31 full-service yards cover your crane rental and service needs all over North America, including 24/7 service and maintenance in our own shops.
- Our complete service model includes lift planning, logistics, transport and heavy hauling, and 100% in-house service and 24/7 field support. And although we are primarily a rental company, we sell ALL Assured used equipment and are a responsible and well-recognized dealer for many leading brands of new equipment.

- Our mechanics document service and share records among our branches. We mandate in-service inspections, 360° inspections, and proactive versus reactive maintenance protocols.
- Our fleet includes over 350 tractors and over 1,700 trailers to ensure faster delivery across a broader geographic area. This enables us to maintain our 24/7 service and helps us deliver our own cranes to sites without depending on outside carrier fleets. Our tractor and trailer fleet ensures on-time delivery and less downtime.
- We invested over 50,000 man-hours in service and safety training in both 2009 and 2010. Many other crane companies cut these budgets in tough times. ALL invests.
- We make safety our top priority every day. ALL doesn't simply see safety as a task to be accomplished, but as a culture to be embraced, in which every person is personally accountable for safety.
- Our comprehensive safety management system includes lift planning, crane selection and inspection, personnel training, and performance monitoring.

## CRANE RENTAL EXPERTISE

- ALL Erection & Crane Rental Corp. is the largest privately held crane rental and sales operation in North America.
- We deliver. Customers call ALL when they say, "It can't be done." Whether it's

painstaking lift planning or the right equipment or the best-trained operators, we give you experience few other crane companies can match.

- ALL rents equipment from 2-1/2-ton to 1,000-ton capacities. We are specialists in every category—crawler cranes, tower cranes, mobile truck cranes, or aerial lifts. ALL has them all. This ensures that when you call with a specific need, we deliver the right crane and the right capacity to satisfy your requirements for value, safety, and productivity.
- Our 3D Lift Plan technology gives our lift-planning experts the ability to calculate and view every detail. That allows us to make your lifts easier, more predictable, safer, and more cost effective.

## PARTS

- Need crane parts? Having one of the largest fleets means we have huge parts reserves.

- ALL stocks several hundred thousand parts SKUs worth millions of dollars to help customers avoid downtime and keep equipment operating at full capacity for as long as possible.
- Find and buy parts for your equipment at [www.craneparts.com](http://www.craneparts.com)
- We are proud to be part of Manitowoc Crane CARE. We receive parts direct for all of the Manitowoc Crane Group brands, maximizing the speed at which you can get back up to speed.
- As a dealer for most of the leading brands in lift equipment, including Link-Belt, JLG, Terex and more, we stock parts as well as receive parts direct.

## BUYING NEW EQUIPMENT?

Trust the leader for all the brands you trust. ALL is an authorized dealer for:







We own three 1,000-ton crawler cranes (model 21000). Call ALL and you are renting from the most technologically advanced fleet on the planet.

CRAWLER CRANES

Stronger and more stable at greater distances than telescopic boom cranes, crawlers are the high-capacity crane of choice. A lattice-boom crane is the best choice when the job requires long, vertical reaches or long-term work. The crawler’s tracks allow it to move virtually anywhere on the job site, even with a load on the line.

crawler cranes

MANITOWOC 21000 (1,000 TON)

The largest of our crawler fleet, the 21000 is simply the world’s most easily mobilized 1,000-USSt (907-mt) crane and features a 360-ft heavy-lift boom with luffing jib extension to 640 ft. Its exclusive OCTA-TRAC eight-crawler system allows swing and travel with full load and minimizes ground-bearing pressure. Our qualified field service technicians throughout the country are required to successfully complete the rigid CANBUS AOM (Assembly, Operation & Maintenance) course for the 21000 sponsored by Manitowoc Crane CARE. This training is, in part, why we command such a strong share of market in renting crawlers.

THE ALL ADVANTAGE

Crawlers provide pick-and-carry capabilities, heavy-duty lifting, and long-term economic advantages—a nice balance between capability, capacity, and cost. Incidentally, this is a lot like ALL. The depth of our entire fleet, not just our crawler crane fleet, ensures we can recommend the absolute right crane for the job. We get you the right crane because we’re the crane experts.

ALL keeps the fleet running and looking like new with regular maintenance in our own shops. Our 1,000-ton Manitowoc 21000 got a thorough “sprucing up” by our experienced service technicians after a long rental. We completely rebuilt the power train, pump drives, and hoses and gave the huge crane a fresh coat of paint. Here, the 21000 runs through its paces with a test lift of 1,570,000 lbs.



Manufacturer	Manitowoc
Model	21000
Tonnage	1,000 USt with MAX-ER®
Boom	340'
Luffing Jib	300'
Boom Suspension System	Gantry

\* Specs as assembled for featured lift

It took a 1,000-ton crane to hoist Tier 5 of 10 tiers that make up the new mobile launch tower for the Ares I spacecraft at NASA Kennedy Space Center. Tier 5, including stairs, catwalks, grating, handrails, electrical rooms, and elevator enclosures, weighed 214,170 lbs plus an additional 42,000 lbs for load block and rigging. Only the 21000 and ALL Sunshine Crane Rental could do the job right.

Jeffers Crane Service, a member of the ALL Family of Companies, ushers in the winds of change as they help bolster wind farm construction nationwide. Here, the monster Manitowoc 21000 hoists the 180,000-lb generator atop one of the largest wind turbines in the U.S. The 349-ft-high pick required a lot of boom; the big crawler’s 400-ft maximum filled the bill.



The MAX-ER® is a cost-effective way to increase the 21000’s base capacity—up to 1,000 USt (907 mt). It eliminates the time and expense of transporting and setting up a larger crane. With its compact dimensions, the MAX-ER® also works well in tight quarters.



# crawler cranes

## MANITOWOC 18000 (825 TON)

The Model 18000 offers an array of benefits, including brute strength and ease of mobility. With MAX-ER® attachment, the 18000 can lift up to 825 USt (750 mt). Ideal for bridge work, power-house projects, wind farms, or any project needing extreme capacity, mobility, and a compact footprint, the Model 18000 was developed to accommodate larger lifts and to work on increasingly congested job sites.

## THE ALL ADVANTAGE

ALL took the first order for the Model 18000 upon its introduction in 2003. Since that acquisition, we have continued to invest, ensuring our leadership position in high-capacity crawlers. In fact, ALL's crawler fleet is recognized as the largest in the industry.



Two Manitowoc 18000s work together setting a roof truss for Lucas Oil Stadium. A wheeled MAX-ER® attachment is sitting to the side but is not attached to the unit. When attached, MAX-ER is a cost-effective way to increase the 18000's base capacity to 825 tons.

<b>Manufacturer</b>	Manitowoc
<b>Model</b>	18000
<b>Tonnage</b>	825 USt with MAX-ER®
<b>Boom</b>	320'
<b>Luffing Jib</b>	90'-310'

\* Specs as assembled for featured lift

ALL Crane of Pennsylvania used the huge 18000 to set 70 165-ft precast concrete beams more than 100 ft above the Lehigh River and Pohopoco Creek. The crane would have several different configurations during its time on the project, but for its most challenging portion, the 18000 worked with 100 ft of mast, 160 ft of main boom, and a 130-ft luffing jib. It had 528,000 lbs of crane upper counterweight and 320,000 lbs of carbody counterweight.



A high-efficiency, high-capacity, 400-ton crawler, the Manitowoc Model 16000 has many performance features that make it a workhorse contractor's crane as well as a rigger's crane.

With or without the wind attachment, the 16000 is known as the premier lift crane in the wind energy market.



<b>Manufacturer</b>	Manitowoc
<b>Model</b>	16000
<b>Tonnage</b>	440 USt
<b>Boom</b>	315'
<b>Luffing Jib</b>	275'

## MANITOWOC 16000 (440 TON)

With powerful pick-and-place capacity at a variety of radii, the high-capacity 16000 can lift 440 USt (400 mt) at a 21-ft radius. However, with its 275-ft luffing jib and 177-ft main boom, the crane can lift 40 USt (36.3 mt) to a height of 446 ft (136 m) at a 100-ft (30-m) radius.

In addition, the 16000 features a 315-ft (96-m) heavy-lift boom and up to 275-ft (84-m) luffing jib. Standard line pull is 35,000 lbs (155 kN). And, with a 23-ft windform upper boom point, it is the premier lift crane in the wind energy segment of the market.

## THE ALL ADVANTAGE

ALL's huge Manitowoc Model 16000 crawler fleet is spread across our national footprint—there's one near you. This fleet is augmented by a number of 16000 wind attachments. The Manitowoc 16000 wind attachment boosts the crane's capacity, adding strength to aid in placing the newest wind turbines. The wind attachment gives the crane enhanced lift ability when working at short radii, as is generally required in wind turbine erection.





# crawler cranes

### MANITOWOC 14000 (220 TON)

The 14000 has 292 ft of reach on the main boom (up to 462 ft with the luffing jib), a 220-USSt (200-mt) capacity, and features the patented CANBUS and EPIC control system configured with six independent closed-loop hydraulic circuits. The patented FACT connection system reduces set-up time and cost.

### THE ALL ADVANTAGE

In 2007, ALL added a substantial number of the first Manitowoc Model 14000 crawler cranes. Today we have 25 in the fleet. This fleet is carefully and strategically spread throughout our regional branches. Like links in a supply chain, no matter from where a customer calls, the ALL Family has the right crane for the job at a branch nearby.



<b>Manufacturer</b>	Manitowoc
<b>Model</b>	14000
<b>Tonnage</b>	220 USt
<b>Boom</b>	292'
<b>Jib</b>	30'-80'
<b>Luffing</b>	70'-170'

\* Specs as assembled for featured lift

### MANITOWOC 2250 (300 TON)

ALL sports one of the largest fleets of Manitowoc 2250s in the world. The 2250 is the staple of our crawler fleet, able to lift 300 USt (272 mt) and featuring 330 ft of main boom and a 160-ft luffing jib. It is hard to find a job site with requirements not in the machine's sweet spot. Designed-in mobility and reliability make the 2250 ideal for a variety of applications, from setting steel to placing heavy industrial components.

<b>Manufacturer</b>	Manitowoc
<b>Model</b>	2250
<b>Tonnage</b>	300 USt
<b>Boom</b>	330'
<b>Jib</b>	40'-120'
<b>Luffing</b>	70'-200'

Introduced at Bauma '98, the 300-ton capacity model 2250 was designed expressly for construction applications and comes with three different counterweight configurations: the series 1 with a 168,350-lb counterweight, the series 2 with a 268,350-lb counterweight, and the series 3 with a 368,350-lb counterweight.



The 275-ton Manitowoc 999 Series-3 crawler crane with 220 ft of boom provides the reach, capacity, and mobility to place precast sections for a new six-story, 637,556-sq-ft parking ramp.

### MANITOWOC 888 (230 TON)

Taken alone, Model 888 delivers 230 USt (209 mt) of lift; however, with the 888 RINGER® attachment, capacity jumps to 660 USt. ALL owns nearly every 888 RINGER® attachment available for rent in the U.S.

### MANITOWOC 999 (275 TON)

No other crane in the 275-USSt (250-mt) capacity range can match the Model 999's powerful combination of high performance, easy mobilization, and versatility. Introduced in 2000 at Intermat in Paris, France, the 999 offers customers the company's EPIC® control system and, like ALL, is known for superior performance and unmatched reliability.



LINK-BELT TCC-1100 (110 TON)

ALL took the first order of this telescopic crawler, introduced at CONEXPO/CONAG 2011. The unit is well-suited for general construction or any place where tires might be a hindrance, including bridge and steel erection, railroads, oil fields, wind farms, and power transmission work including foundations. The TCC-1100 is the category’s larger 110-USSt (100-mt) capacity model, combining power, mobility, and reliability. They can be moved to the job site quickly and easily, taking only four truckloads to transport. The TCC-1100 has a full-power, five-section main boom (40 ft to 150 ft) with a maximum tip height of 159 ft. With the 31- to 55-ft two-piece swingaway jib, the maximum tip height is 211 ft with 2-, 15-, 30-, and 45-degree offsets.

LINK-BELT TCC-750 (75 TON)

With its low center of gravity, the 75 USSt (70-mt) TCC-750 is exceptionally stable and needs no outriggers. The sealed lower and hydraulically retractable side frames allow easy transport and flexibility on the job site.

hydraulic crawler cranes

The very first job for the new 75-ton TCC-750: ALL Crane & Equipment Rental Corp. of Nitro, WV, was setting sections of the overland conveyor belt used to transport coal from the mine directly to the prep plant.



Manufacturer	Link-Belt
Model	TCC-750
Tonnage	75
Boom	115'
Jib	35'-58'

CRAWLER CRANES

Manufacturer	Model	Tonnage	Boom	Jib	Luffing
Manitowoc	21000 MAX-ER	1,000	400'		120'-300'
Manitowoc	21000	834	320'		90' - 310'
Manitowoc	18000 MAX-ER	825	400'		90'-310'
Manitowoc	18000	660	300'	40' - 120'	70' - 200'
Manitowoc	16000	440	315'		98'-276'
Manitowoc	2250 MAX-ER	500	360'	40'-120'	40'-240'
Manitowoc	2250	300	330'	40'-120'	70'-200'
Manitowoc	999	275	340'	30'-80'	70'-240'
Manitowoc	888 RINGER	600	425'	300'	320'
Manitowoc	888	230	290'	30'-80'	70'-170'
Manitowoc	4100 RINGER	300	340'	140'	
Manitowoc	4100	230	260'	30'-60'	Tower
Manitowoc	14000	220	292'	30'-80'	70'-170'
Link-Belt	LS 248H 2	200	280'	30'-100'	80'-160'
Manitowoc	777	200	270'	30'-80'	70'-170'
Manitowoc	4000W	175	220'	30'-60'	Tower
American	HC165	165	290'	40'-80'	
Manitowoc	555	150	250'	30'-80'	
Link-Belt	LS 238	150	240'	30'-70'	80'-160'
Link-Belt	LS 308	150	140'	75'	Tower
Manitowoc	3900W	140	250'	30'-60'	
Manitowoc	12000	120	230'	30'-70'	80'-140'
Link-Belt	LS 218HSL	110	230'	40'-75'	
American	HC110	110	230'	70'	
Link-Belt	TCC-1100	110	150'	31'-55'	
Manitowoc	10000	100	200'	30'-60'	
Link-Belt	LS 218H	100	190'	30'-60'	50'-150'
Manitowoc	222	100	200'	30'-60'	
Manitowoc	111	80	190'	30'-60'	
Manitowoc	8000	80	200'	30'-60'	
Link-Belt	LS 138HSL	80	200'	30'-60'	
Link-Belt	TCC-750	75	115'	35'-58'	
Link-Belt	LS 138H	75	160'	30'-60'	



TCC-750 and TCC-1100 are ideal for the wind energy market, where ground conditions are poor and distances between lift sites can be long.



We have crawler cranes from 75 to 1,000 tons. And we keep investing to bring excellence to your job site. We took the first order of the last three major crane introductions by Manitowoc—the 18000, the 16000, and, in 2007, the 14000. We also took first orders on the new Link-Belt TCC-750 and TCC-1100 ... just to name a few.

Above is our equipment guide, but check [www.allcrane.com/RentEquipmentFleet.aspx](http://www.allcrane.com/RentEquipmentFleet.aspx) for updates.

New Orleans is becoming more watertight. The Army Corps of Engineers’ Hurricane and Storm Damage Risk Reduction System comprises 350 miles of levees, floodwalls, gates, and pump stations linked together in an arrangement that, stretched out, would reach from New Orleans to Dallas. Two sections of this vast project are getting a lift with scores of cranes from the Cleveland-based ALL Erection & Crane Rental Corp. Family of Companies.



HYDRAULIC ALL TERRAIN & TRUCK CRANES

Truck cranes are mobile cranes with the necessary equipment to travel at speed on public roads and on rough terrain at the job site using all-wheel and crab steering. The AT crane, with its multi-axle chassis and multi-wheel drive capabilities, gives you great mobility for both on- and off-road construction and industrial projects. Hydraulic truck cranes offer superior mobility but have more limited lifting capacity than ATs by hundreds of tons.

at cranes



GROVE GMK7550 (550 TON)

The 7550 is Grove’s largest mobile all terrain hydraulic crane, offering a 550-US (499-mt) rated lifting capacity on a seven-axle carrier. In markets where it may be difficult to transport a crane of this size, we have “boom launchers” available to speed assembly.

The GMK7550 allows tremendous mobility for both on- and off-road construction and industrial applications, including bridges and highways, power and nuclear plants, and refineries. The 7550 is the workhorse for erecting and disassembling tower cranes.

THE ALL ADVANTAGE

ALL offers regional distribution of its ten 7550s, ensuring that wherever the job, your next big lift is close at hand.



Manufacturer	Grove
Model	GMK7550
Tonnage	550 USt
Boom	197'
Jib	39'-230'
Luffing	85'-240'

This 7550 helps to erect this steel pedestrian bridge spanning 620 ft from the city park to the third level of a new museum addition. The bridge’s four prefabricated sections—200 tons of structural steel—were hoisted by the GMK7550 and welded together.

LIEBHERR LTM 1500-8.1 (600 TON)

With a rated capacity of 600 tons, it is the second largest mobile crane in the ALL fleet. Sized ideally to work in refineries, industrial plants, and wind farms, the eight-axle crane has a seven-section telescopic boom that extends to 276 ft. With the luffing jib, the Liebherr can reach a hoisting height up to 476 ft at a radius of 354 ft. The addition of a Y-guying system gives support to the boom, adding remarkable load capacity, particularly when lifting high but at a short radius.

Manufacturer	Liebherr
Model	LTM 1500-8.1
Tonnage	600 USt
Boom	276'
Luffing Jib	46' min - 299' max







# at cranes

**LIEBHERR LTM 1400-7.1 (500 TON)**  
The seven-axle mobile crane LTM 1400-7.1 is the most compact representative of its class, and is extraordinarily maneuverable due to the new active rear axle steering. Comprehensive electronics in the travel drive and in the crane control ensure increased safety, easy-to-use operation, and a high availability of the 500-tonner (454 mt).

**LIEBHERR LTM 1250-6.1 (300 TON)**  
The 300-USSt (272-mt) LTM 1250-6.1 six-axle mobile crane sets new standards for versatility in its class. The six-section telescopic boom extends from 51 ft (15.5 m) to 236 ft (72 m). A lattice jib offers additional reach up to 230 ft (70 m). Modular-mounted data bus technology ensures greater cost effectiveness and much-improved operating safety in the travel and crane drives.

**LIEBHERR LTM 1200-5.1 (220 TON)**  
The 220-USSt (200-mt) LTM 1200-5.1 has outstanding lifting capacities and the longest telescopic boom on the market in the five-axle class. The seven-section, 236-ft (72-m) telescopic boom can be extended further with a 23-ft (7-m) lattice jib and a swing-away jib up to 118 ft (36 m) long.

Manufacturer	Liebherr
Model	LTM 1400-7.1
Tonnage	500 USt
Boom	186'
Luffing Jib	151'
Boom Suspension System	Y-guy Superlift

\* Specs as assembled for featured lift



ALL has fortified its all terrain crane fleet in the long-boom 350-ton category with the purchase of the 350-ton Grove GMK6300L. The crane, above, is painted and lettered for Central Contractors Service, a member of the ALL Family of Companies. It's ideal for tower crane rigging or lifting HVAC or elevator equipment, and its maneuverability allows it to get close to the lift.

**GROVE GMK6300L (350 TON)**  
Offering some of the strongest lifting abilities of any six-axle all terrain crane and more power when lifting at tall heights, the seven-section main boom is designed for strong lifts without the need to rig the jib. A choice of five outrigger positions, more than any other crane in its capacity class, offers ultimate flexibility.

Manufacturer	Manitowoc
Model	6300L
Tonnage	350 USt
Boom	263'
Jib	300'



**GROVE GMK6250L (250 TON)**  
The Grove GMK6250L all terrain crane features a long boom and provides a maximum tip height of 370 ft (113 m). The increase in the lifting range makes the machine more versatile and expands on potential applications. The six-axle AT is easy to transport to your job site, providing the trifecta of user benefits: heavy lifting, long reach, and uncompromised usability.

Manufacturer	Manitowoc
Model	6250L
Tonnage	250 USt
Boom	236'
Jib	43'-125'

We proudly honor long-term contracts for some of the nation's largest brands, and often secure those contracts based on our record of safety. Of course, getting you precisely the right crane is a measure of the value we deliver, and our fleet and service acumen make us second to none.



# truck cranes

## HYDRAULIC TRUCK CRANES

Hydraulic truck cranes offer superior mobility and lifting capacities to hundreds of tons. The seemingly simple physics of hydraulics—the transfer of force through an incompressible fluid at its maximum density—allows these machines to raise multi-ton bridge sections or, in the case of the small HTC units, the hot tub in your backyard.

## THE ALL ADVANTAGE

ALL’s commitment to you is underscored by the operator we send to control these forces. Our in-person job site analysis, computer modeling, and precision mastery of the pick—large or small—is why ALL is always the name to trust.



Manufacturer	Grove
Model	TMS750E
Tonnage	50 USt
Boom	110'
Jib	33'-76'

## HYDRAULIC ALL TERRAIN CRANES

Manufacturer	Model	Tonnage	Boom	Jib	Luffing
Demag	AC 1600	650	164'	26' - 223'	59' - 295'
Liebherr	LTM1500-8.1	600	276'		46' - 299'
Grove	GMK7550	550	197'	39' - 230'	85' - 240'
Liebherr	LTM 1400	500	197'	23' - 184'	69' - 276'
Grove	GMK6300L	350	262'	39' - 121'	
Grove	GMK6350	350	197'	36' - 167'	69' - 200'
Terex	AC 250-1	300	262'	33' - 108'	
Liebherr	LTM 1250-6.1	300	236'	18' - 118'	
Grove	GMK5275	275	223'	39' - 121'	
Grove	GMK6250L	250	236'	43' - 125'	
Grove	GMK5240	240	197'	43' - 125'	43' - 72'
Grove	GMK5225	225	210'	36' - 112'	
Liebherr	LTM 1200-5.1	220	236'	18' - 118'	
Grove	GMK5210	210	197'	43' - 125'	43' - 72'
Link-Belt	ATC-3200	200	196'	17' - 122'	
Demag	AC 180	200	197'	31' - 126'	65' - 190'
Tadano	ATF160G-5	200	196'	43' - 122'	
Liebherr	LTM 1160/2	200	197'	40' - 118'	
Terex	AC 140	170	197'	30' - 108'	
Grove	GMK5165	165	197'	59' - 105'	
Tadano	ATF130G-5	160	196'	12' - 105'	
Grove	GMK 5150B	150	151'	33' - 131'	
Grove	GMK5120B	120	167'	36' - 112'	
Grove	GMK5115	115	197'	33' - 56'	
Grove	GMK4115L	115	197'	33' - 56'	
Tadano	ATF110G-5	100	170'	31' - 98'	
Tadano	ATF80-4	100	159'	29' - 52'	
Terex	AC 80-2	100	164'	30' - 58'	
Grove	GMK4100	100	167'	28' - 68'	
Grove	GMK4085	85	125'	33' - 52'	
Grove	AT422	22	70'	25' - 43'	

## HYDRAULIC TRUCK CRANES

Manufacturer	Model	Tonnage	Boom	Jib
Link-Belt	HTC-3140	140	162'	10' - 109'
Link-Belt	HTC-86100	100	140'	35' - 90'
Link-Belt	HTC-8690	90	140'	35' - 90'
Grove	TMS900E	90	142'	33' - 56'
Grove	TMS800E	80	128'	33' - 98'
Link-Belt	HTC-8675L	75	127'	39' - 67'
Link-Belt	HTC-8675	75	115'	36' - 61'
Link-Belt	HTC-8670	70	115'	36' - 61'
Link-Belt	HTC-8660	60	110'	28' - 51'
Link-Belt	HTC-8650	50	110'	28' - 51'
Grove	TMS750E	50	110'	33' - 76'
Grove	TMS540	40	115'	30' - 54'
Terex	T340XL	40	105'	32' - 49'

Featured on this page, from top left, clockwise: Grove TMS540 (40 ton), Grove TMS700E (50 ton), and Grove TMS800E (80 ton) are just a few arrows in the quiver of the ALL Family of Companies’ hydraulic truck crane fleet.



The Veterans’ Glass City Skyway spanning the Maumee River, a \$220 million, architecturally distinct cable-stayed bridge, has taken shape with the assistance of two 500-ton DeMag AC 400 hydraulic all terrain cranes and three 300-ton Manitowoc 2250 crawler cranes from Jeffers Crane Service, Inc. of Toledo, a member of the ALL Family of Companies.



We deliver a fortified fleet in every region of the country and in every capacity class, including ATs and the most robust taxi crane fleet in the industry. ALL often purchases first-off-the-line models. This proactive buying strengthens the ALL Family of Companies’ ability to offer customers versatile options that meet a wide range of applications and a variety of road regulations.

Above is our equipment guide, but check [www.allcrane.com/RentEquipmentFleet.aspx](http://www.allcrane.com/RentEquipmentFleet.aspx) for updates.



# rt cranes

## HYDRAULIC ROUGH TERRAIN CRANES

The ALL fleet includes hydraulic rough terrain cranes with capacities from 15 to 150 tons. With their ability to traverse uneven or rough terrain on work sites, hydraulic rough terrain cranes offer versatility and just the power you need. The smaller, 4-wheel drive RT crane is designed for pick-and-carry operations in off-road or “rough terrain” applications.

### GROVE RT9150E (150 TON)

The compact but rugged RT9150E is easy to maneuver and ideal for pick-and-carry applications in plants, including processing, refineries, power plants, and other large projects where space is often tight. All Grove RTs feature excellent on-rubber operation to enhance productivity. In addition to the six-section, full power boom, the RT9150E features a 36- to 59-ft (11- to 18-m) offsettable bi-fold swingaway extension. The Cummins QSL 8.3L diesel, six-cylinder, turbocharged engine meets U.S. EPA Tier IV and E.U. Stage IIIB standards.

### THE ALL ADVANTAGE

The RT9150E is the world’s largest-capacity RT, and its 197-ft (60-m) main boom is the longest on any current-production RT crane. Only 7 of these big RTs are in circulation to date. ALL has available for rent 3 of the 7 in the market.

Manufacturer	Grove
Model	RT9150E
Tonnage	150 USt
Boom	197'
Jib	36'-105'

The new Grove RT9150E offers an impressive maximum tip height of 312 ft, features a hydraulic extension, and picks like a beast. The rental demand is strong, so much so that ALL has committed to growing this product offering.



Link-Belt RTC-80130 (130 ton) is one of the strongest, most easily transported, and easy-to-maneuver RT cranes in the industry.



Manufacturer	Link-Belt
Model	RTC-80130 Series II
Tonnage	130 USt
Boom	162'
Jib	10'-109'



Innovative 10-ft (3.0-m) fly is integral to one of the on-board fly options. Over 20 USt (18.1 mt) capacity and one-load two-line lift procedures.

### LINK-BELT RTC-80130 (130 TON)

The RTC-80130 Series II features a full power, latching-style five-section formed boom that goes from 41.4 to 162 ft (2.6 to 49.3 m). Maximum boom tip height is 171 ft (52.1 m). Five boom modes allow variable extension of the telescoping sections and provide superior capacities.

The crane features a 10-ft (3-m) heavy-lift fly that easily swings and pins into place and is integral to one of the on-board fly options. Alone, it has over 20 USt (18.1 mt) of capacity and lift procedures for two load lines, making it perfect for tilt-up work.

### THE ALL ADVANTAGE

We invest in brands that we’re a dealer for, and Dawes Rigging & Crane Rental, a member of the ALL Family of Companies in Wisconsin, is a Link-Belt dealer.




rt cranes

RTC-8090 SERIES II (90 TON)

Excellent for wind farms, power plants, and mobility on the construction site, the large capacity RTC-8090 Series II is a 90-USSt (80-mt) rough terrain crane with a first-of-its-kind boom configuration for an RT. The patented locking and latching system for the 38- to 140-ft (11.6- to 42.7-m), five-section boom uses a single hydraulic cylinder to move all five boom sections, one at a time. And, unlike other cranes with latching booms, there is no deduct in the lift chart for telescoping a load. This machine provides incredible lift capacities, giving this RT serious muscle and lightweight transportability.

THE ALL ADVANTAGE

Rent from our modern fleet and you will receive the most advanced technology, resulting in increased production and safer picks. Our crane experts can recommend the right type of crane for your job.



Manufacturer	Link-Belt
Model	RTC-8090
Tonnage	90 USt
Boom	140'
Luffing Jib	35'-90'

The versatile pick-and-carry abilities of the RT model truck crane are legendary.

Rough terrain cranes have a single cab located on a rotating superstructure and drive on two axles; however, low travel speeds typically restrict driving these cranes to job sites.



RT650E (50 TON)

Part of arguably the most complete Grove RT fleet in the crane rental industry, this 50-USSt (40-mt) capacity RT crane provides the durability expected from a Grove. The RT650E comes loaded with features, including the best capacities in class, excellent maintenance access, quick-reeve boom nose and hookblock, an engine cold-weather package, synchronized boom extension, four steering modes, and an E Series cab.

HYDRAULIC ROUGH TERRAIN CRANES

Manufacturer	Model	Tonnage	Boom	Jib
Grove	RT9150E	150	197'	36'-105'
Grove	RT9130E	130	160'	36' - 111'
Link-Belt	RTC-80130	130	162'	10' - 109'
Terex	RT1120	120	155'	30' - 108'
Link-Belt	RTC-80100	100	150'	31' - 85'
Grove	RT9100	100	114'	33' - 88'
Grove	RT890E	90	142'	33' - 88'
Link-Belt	RTC-8090	90	140'	35' - 90'
Tadano	TR800XXL	80	140'	32' - 58'
Grove	RT880E	80	128'	33' - 96'
Terex	RT780	80	124'	40' - 60'
Grove	RT875E	75	114'	33' - 58'
Link-Belt	RTC-8065	65	115'	35' - 90'
Grove	RT865B	65	125'	35' - 60'
Grove	RT860B	60	115'	35' - 60'
Grove	RT760E	60	110'	33' - 56'
Grove	RT855B	55	115'	35' - 60'
Terex	RT555	55	110'	32' - 57'
Grove	RT750B	50	110'	33' - 56'
Grove	RT650E	50	105'	29' - 51'
Link-Belt	RTC-8050	50	110'	34' - 56'
Grove	RT640C	40	105'	29' - 51'
Grove	RT540E	40	102'	26' - 45'
Link-Belt	RTC-8040-2	40	105'	28' - 51'
Grove	RT635C	35	105'	29' - 51'
Terex	RT335	35	94'	32' - 49'
Grove	RT535E	35	102'	26' - 45'
Grove	RT530E	30	95'	26' - 45'
Link-Belt	RTC-8030	30	91'	27'
Terex	RT230XL	30	94'	26' - 43'
Grove	RT522B	22	78'	25'
Grove	RT58D	20	60'	23' - 38'

For over a decade, ALL has heavily invested in RTs because of the value they provide customers. Every branch is fortified with a heavily utilized RT fleet. Need help choosing the right model for your job? We rent, sell, and service ONLY cranes and other lift equipment. Our experience can be measured, and it adds up to help make you more productive, efficient, and profitable.

Above is our equipment guide, but check [www.allcrane.com/RentEquipmentFleet.aspx](http://www.allcrane.com/RentEquipmentFleet.aspx) for updates.





Industrial cranes are able to maneuver in tight spaces and are the safest and most efficient alternative to forklifts for pick-and-carry applications, high lifts, or lifting of irregularly shaped or very heavy loads.



Manufacturer	Broderson
Model	IC-200
Capacity on outriggers	30,000 lbs (15 tons)
Pick-and-carry capacity	17,000 lbs (8.5 tons)
Sheave Height	73'
Horizontal Reach	66'

\* 4-Wheel Steer Standard

With a capacity on outriggers up to 30,000 lbs (15 tons) and a pick-and-carry capacity of 17,000 lbs (8.5 tons), the Broderson IC-200, like all industrial cranes, features continuous 360° boom rotation.

### THE ALL ADVANTAGE

In the industrial crane category, size really matters. Because the range is relatively small—from 4 to 25 tons—getting you precisely the right crane is a measure of the value we deliver.

### INDUSTRIAL/CARRYDECK CRANES

Manufacturer	Model	Tonnage	Boom	Jib
Shuttlelift	7725	25	71'	17'
Shuttlelift	7755	22	67'	17'
Shuttlelift	7750	20	67'	17'
Broderson	IC-250 3B	18	50'1"	20'
Broderson	IC-250 3A	18	50'1"	20'
Broderson	IC-200 3F	15	50'	16'
Broderson	IC-200 3E	15	50'	16'
Broderson	IC-200 3D	15	50'	16'
Broderson	IC-200 2C	15	36'2"	15'
Broderson	IC-200 2B	15	36'2"	15'
Shuttlelift	5540 F	15	41'	15'
Shuttlelift	3339	9	32'10"	12'
Broderson	IC-80 3G	9	30'	10'
Broderson	IC-80 3F	9	30'	10'
Shuttlelift	3330ELB	8.5	36'8"	N/A
Shuttlelift	3330FL	8.5	30'2"	6'
Broderson	IC-80 3E	8.5	30'	10'
Broderson	IC-80 2D	8.5	24'	10'
Broderson	IC-35 2B	4	19'	8'
Broderson	IC-35 2C	4	19'	8'

The list above is as comprehensive a menu of equipment as any crane rental company could offer, and our inventory of each of the specific models is immense. Many units are equipped with four-wheel drive, four-wheel steer, or generators. As with any ALL equipment for rent, manned or bare rentals are available.

Above is our equipment guide, but check [www.allcrane.com/RentEquipmentFleet.aspx](http://www.allcrane.com/RentEquipmentFleet.aspx) for updates.



With the highest capacity rating in the category, the 25-ton industrial crane is a versatile, productive alternative to a rough terrain crane for jobs requiring compact size, mobility, and the ability to carry a load on a deck.



TOWER CRANES

Situated at the side or center of a construction site, the hammerhead tower crane grows as the building rises by raising itself from floor to floor using built-in hydraulic jacks. Its horizontal boom with rolling trolley can place a load anywhere within its reach. ALL Tower Crane, LLC offers one of the most current tower crane fleets available today. Our large range of tower cranes includes small mobile self-erecting tower cranes, traditional hammerhead tower cranes, flat top tower cranes, and luffing jib tower cranes.

tower cranes

POTAIN MR 415 B-H24 (26 TON) LUFFING TOWER CRANE

The MR 415 B-H24 offers increased tip load capacity in a 26.5-US ton tower crane. The MR 415 has a maximum radius of 197 ft and a free-standing hook height of 293 ft. Potain’s MR crane range is specifically suited for congested construction sites. The jib can be luffed to almost vertical, attaining excellent underhook heights and obstacle avoidance. This is also helpful when multiple tower cranes are used on the site. High-performance slewing and hoisting equipment provide precise control of loads throughout the entire working radius.


THE ALL ADVANTAGE

Our equipment ranges from 98 ft to 262 ft of jib, with capacities ranging from 4 tons to 35 tons. ALL offers a turnkey operation including help specifying the right crane, shipping the crane to the site on our own trailers, erection of the towers, and, when the job is complete, disassembly and removal. Expert operators are also part of our complete service model. Assembly is critical and safety is paramount.



Two Potain MR 605B luffing tower cranes at the Blue Cross Blue Shield Tower vertical expansion, Chicago, Illinois.

Potain MR 415 luffing tower crane with 164-ft luffing jib; initial mast height 198 ft, final mast height 510 ft. Central Contractors Service of Chicago suggested the use of the MR 415 for its extremely high line speed.



Manufacturer	Potain
Model	HDT 80
Capacity	6.61 USt
Boom/Jib	147'
Power Source	480V



Potain HDT 80 self-erecting tower crane at the Colony Condominiums, Madison, Wisconsin. These cranes require minimal space and minimal time to erect and service a wide area from a single point—just like ALL, your “tower of strength” in crane rental.

POTAIN HDT 80 (6 TON) SELF-ERECTING TOWER CRANE

Its six-ton maximum capacity is complemented by its 147-ft reach. Clean and eco-friendly, the HDT 80 is designed with jobsite efficiency and flexibility in mind. Rapid assembly and erection ensure maximum uptime on the site, while the compact dimensions and short rear slewing radius allow the crane to be set up in close proximity to structures. The HDT 80 is fully electric, providing a clean and quiet lifting solution to customers limited by noise or emission regulations.





**PEINER SK 315, 415, 575 (16 TO 32 TONS)**

ALL offers Peiner tower crane sales and rentals. Our crane rentals are available on a bare lease basis or, with branches throughout North America, operated and maintained. Our Peiner hammerhead tower crane (SK series) fleet is among the broadest in the market, with capacities from 16 to 32 tons and jib lengths up to 262 ft. As a Terex dealer, we take pride in the quality manufacturing of Peiner equipment and recognize that it is designed for reliable performance hour after hour. Easy maintenance access and built-in safety features keep downtime to a minimum.

**THE ALL ADVANTAGE**

The Tower Crane Division is part of the ALL Erection headquarters in Cleveland, Ohio, and is a resource to be drawn upon from any of our branch locations throughout North America. Wherever you are, we are the leader to choose for your material-handling needs for high-rise building, bridge work, and other large construction projects.

tower cranes

The extensive 262-ft reach of the SK 575 would allow it to cover the area of almost three football fields!



**FREESTANDING HAMMERHEAD TOWERS**

Manufacturer	Model	Tonnage	Tower	Jib
Terex/Peiner	SK 575	35	232'	262'
Terex/Peiner	SK 415-25	27	214'	246'
Manitowoc/Potain	MD 485B	22	247'	262'
Terex/Peiner	SK 415-20	22	214'	246'
Manitowoc/Potain	MDT 412-20	22	223'	246'
Terex/Peiner	SK 405	22	214'	244'
Terex/Peiner	SK 315	17	253'	229'
Manitowoc/Potain	MDT 302	17	226'	246'
Manitowoc/Potain	MDT 178	8	220'	196'

**FREESTANDING LUFFING TOWER CRANES**

Manufacturer	Model	Tonnage	Tower	Jib
Manitowoc/Potain	MR 605 B	35	205'	197'
Manitowoc/Potain	MR 415	26	194'	197'
Manitowoc/Potain	MR 405 B	26	194'	197'

**SELF-ERECT PORTABLE TOWER CRANES**

Manufacturer	Model	Tonnage	Tower	Jib
Manitowoc/Potain	HDT 80	6	105'	147'
Manitowoc/Potain	IGO 50	4	76'	131'
Terex/Comedil	CBR 40H-4	4	74'	131'
Terex/Comedil	CBR 36H-4	4	66'	118'

Above is our equipment guide, but check [www.allcrane.com/RentEquipmentFleet.aspx](http://www.allcrane.com/RentEquipmentFleet.aspx) for updates.



As the sun sets on Cleveland, ALL Erection's Peiner SK 575 tower crane stands tall. Above, the Cleveland Clinic's Heart Center rises as Cleveland towers in the background.

**ADVANTAGES OF DIFFERENT TOWER CRANES**

**Hammerheads**

- Large availability of machines and accessories in many sizes.
- High freestanding hook heights.
- Moves load level because of its horizontal jib.
- Relatively easy to erect, climb, and dismantle.
- Works best in unencumbered swing areas.

**Topless**

- Works well with multiple tower cranes on the same site.
- Minimizes overall height.
- Fewer parts, erects faster.

**Luffers**

- Can work in tight sites surrounded by existing buildings.
- Can work well with multiple tower cranes on the same site.
- Can work in sites that have "air rights" issues.
- Works best in congested conditions.

**Self Erecting**

- Works well on short-term projects.
- Sets up and works well in congested areas.
- Erects fast and can be relocated on site.
- Transports easily with minimal number of trucks.





AERIAL BOOM & SCISSOR LIFTS

For high-reach applications, choose telescopic (straight or stick boom) boom lifts. Benefits include a turntable that can be rotated 360° in either direction for easier positioning and a boom that can be raised or lowered from vertical to below horizontal and extended while the work platform remains straight and stable. Choose articulating booms when straight mast booms cannot easily approach the pick or load drop site. Scissor lifts feature larger platform work areas to allow for heavier loads than boom lifts.

aerial lifts



**150HAX ARTICULATING BOOM LIFT**  
The 150HAX Articulating Boom Lift is the largest self-propelled articulating boom lift with the longest outreach (79 ft 3 in) and the most up and over height (80 ft) in the world. Platform height can be elevated to 150 ft with a 1,000-lb capacity. Easy to maneuver and with exceptional reach, other features include a 36 x 96 in (0.91 x 2.44 m) platform, an inward-swinging gate, a hydraulic platform rotator, and a 110V-AC receptacle in the platform.

**THE ALL ADVANTAGE**  
We have 150HAX units spread throughout the country as part of our regional fleet distribution program. But we offer much more than “the biggest available.” Our fleet is also the most complete. We rent aerial equipment and sell used aerial equipment, and we’re a dealer for Genie, JLG, Skyjack, Snorkel, and more.

We’re available 24 hours a day, 7 days a week to assist you, from jobsite analysis to transporting cranes to operating and maintaining equipment. Got a problem now? Each ALL facility is equipped with a fleet of service trucks, fully prepared to come to you as soon as possible. Call the Service Hot Line at 800-232-4100.



Manufacturer	JLG
Model	150HAX
Platform Height Elevated	150'
Overall Width	11' 6"
Platform Capacity	1,000 lb / 500 lb

**THE ALL ADVANTAGE**  
For all the leading brands, count on ALL. We have a full parts, service, and repair facility for Genie, Grove, JLG, Skyjack, Snorkel, Terex, and Upright equipment. We also offer on-site repairs and quarterly and annual inspections.

The Genie S-65 Trax, JLG 600S, Snorkel Pro 77, and Snorkel TB66J help build an indoor track building at the GaREAT Sports Complex, Geneva, Ohio.





JLG-THE ES SERIES

The ES Series offers the industry’s best on-the-job performance with double the duty cycles of other electric scissors: double the operating time on a single charge. Integrated components with only two hydraulic hoses and four hydraulic fittings on the entire machine reduce your operating costs. Available accessories packages add to productivity, and the tight turning radius delivers masterful maneuverability. Ideal for warehouses, installing conduit, cutting and threading pipe, performing general repairs, or any job requiring a stable lift and clean, quiet operation.

aerial lifts

THE ALL ADVANTAGE

A scissor lift doesn’t go as high as a boom lift; it sacrifices height for a larger work station. When more height is needed, a boom lift can be used. That’s why ALL Aerials’ complete fleet and complete service work better for you. Scissor lifts, electric boom lifts, towable boom lifts, and articulating boom lifts—we have the most complete and modern fleet, and our fleet is in your backyard. Each branch has equipment from ALL Aerials, and technical training for personnel is managed out of the headquarters location, ensuring repeatable successes for customers—no matter where they are.



Manufacturer	JLG
Model	3246ES Scissor Lifts
Platform Height Elevated	31' 9"
Overall Width	46"
Platform Capacity	700 lb / 1,000 lb

Quieter, cleaner operation for a variety of environments, both indoors and out. Aside from having a vast rental stock, ALL is also a JLG dealer, so new equipment sales and parts direct programs are at your service.



ALL Aerials is your premier source for the largest selection of the world’s best names in aerial equipment, including telescopic boom lifts, articulating boom lifts, portable personal lifts, and aerial scissor lifts.

TELESCOPIC BOOMS

Platform Height	Wheel	Capacity	Platform Dimensions Plus Extension	Power Source
50'	4WD	2,000 lbs	74" x 168" + 4'	Gas/Propane
43'	4WD	1,500 lbs	86" x 150" + 4'	Gas/Propane
43'	4WD	1,000 lbs	64" x 115" + 4'	Gas/Propane
41'	4WD	1,700 lbs	70" x 138" + 4'	Gas/Propane
40'		800 lbs	65" x 115" + 3'	Battery
35'	4WD	1,000 lbs	64" x 116" + 4'	Gas/Propane
32'	4WD	1,000 lbs	56" x 96" + 4'	Gas/Propane
32'		850 lbs	57" x 84" + 3'	Battery
32'		700 lbs	42" x 84" + 4'	Battery
31'	4WD	2,500 lbs	70" x 138" + 4'	Gas/Propane
27'	4WD	1,500 lbs	64" x 116" + 4'	Gas/Propane
26'		1,000 lbs	42" x 84" + 4'	Battery
26'		500 lbs	28" x 84" + 3'	Battery
25'		800 lbs	44" x 90" + 3'	Battery
20'		900 lbs	28" x 84" + 3'	Battery
19'		550 lbs	26" x 64" + 3'	Battery
19'		500 lbs	29" x 64" + 3'	Battery
15'		600 lbs		
12'		500 lbs		

SCISSOR LIFTS

Platform Height	Wheel	Capacity	Platform Dimensions Plus Extension	Power Source
50'	4WD	2,000 lbs	74" x 168" + 4'	Gas/Propane
43'	4WD	1,500 lbs	86" x 150" + 4'	Gas/Propane
43'	4WD	1,000 lbs	64" x 115" + 4'	Gas/Propane
41'	4WD	1,700 lbs	70" x 138" + 4'	Gas/Propane
40'		800 lbs	65" x 115" + 3'	Battery
35'	4WD	1,000 lbs	64" x 116" + 4'	Gas/Propane
32'	4WD	1,000 lbs	56" x 96" + 4'	Gas/Propane
32'		850 lbs	57" x 84" + 3'	Battery
32'		700 lbs	42" x 84" + 4'	Battery
31'	4WD	2,500 lbs	70" x 138" + 4'	Gas/Propane
27'	4WD	1,500 lbs	64" x 116" + 4'	Gas/Propane
26'		1,000 lbs	42" x 84" + 4'	Battery
26'		500 lbs	28" x 84" + 3'	Battery
25'		800 lbs	44" x 90" + 3'	Battery
20'		900 lbs	28" x 84" + 3'	Battery
19'		550 lbs	26" x 64" + 3'	Battery
19'		500 lbs	29" x 64" + 3'	Battery
15'		600 lbs	19'	8'
12'		500 lbs		

Some engine-powered models are available in diesel. Most units equipped with deck extension.

ARTICULATING BOOMS

Platform Height	Wheel	Jib	Base Width (working)	Capacity	Power Source
150'	4WD	N	18'0"	500 lbs	Engine
135'	4WD	Y	12'11"	600 lbs	Engine
125'	4WD	Y	12'0"	600 lbs	Engine
125'	4WD	Y	12'6"	1,000 lbs*	Engine
80'	4WD	Y	8'2"	500 lbs	Engine
80'	4WD	Y	8'0"	500 lbs	Engine
80'	4WD	Y	8'0"	500 lbs	Engine
62'	4WD	Y	8'0"	500 lbs	Engine
60'	4WD	Y	8'0"	500 lbs	Engine
60'	4WD	Y	8'0"	500 lbs	Engine
60'	4WD	Y	8'1"	500 lbs	Engine
60'	4WD	Y	8'0"	500 lbs	Battery
50'	4WD	Y	7'6"	500 lbs	Engine
45'	4WD	Y	6'6"	500 lbs	Engine
45'	2WD	Y	5'9"	500 lbs	Battery
45'	4WD	Y	7'6"	500 lbs	Engine
45'	2WD	Y	5'10"	500 lbs	Battery
41'	4WD	N	7'2"	500 lbs	Engine
40'	2WD	Y	4'11"	500 lbs	Battery
30'	2WD	Y	4'0"	500 lbs	Battery
30'	2WD	Y	3'11"	500 lbs	Battery

Some units equipped with generators and/or 4-wheel steer. \* Restricted

PORTABLE PERSONAL LIFTS

Platform Height	Capacity	Dimensions	Power Source
40'	300 lbs	27" x 26"	Battery
36'	350 lbs	27" x 26"	Battery
30'	350 lbs	27" x 26"	Battery
30'	350 lbs	26" x 20"	Battery
25'	350 lbs	27" x 26"	Battery
25'	350 lbs	26" x 20"	Battery





TELESCOPIC FORKLIFTS

Industrial, rough terrain, and telescopic forklifts provide superior control when lifting heavier materials as high as five and even six stories. You know us as the crane leader, but did you know that the ALL Family of Companies is also the largest telescopic forklift dealer in the Midwest? We are a Lull and JLG dealer. This means you can look to ALL for leadership brands and, as always, count on ALL for quality service after the sale. We ensure your uptime!

telescopic forklifts

JLG G10-55A TELEHANDLER

With a 10,000-lb (4,536-kg) carrying capacity and up to 55-ft (16.8-m) maximum lift height, the JLG G10-55A Telehandler allows you to handle virtually any job site challenge. Pick-and-place telehandlers are ideal for commercial and residential construction or steel work and framing. Excellent maneuverability gives you the perfect combination of lift and access, even in the most crowded work areas.

LULL 944E-42 TELEHANDLER

With a 9,000-lb capacity, the Lull model 944E-42 offers power plus enhanced visibility and the advantages of Lull’s horizontal load placement system. Telehandlers are powerful and productive tools on any job, and the full line of attachments affords versatility to spare.



Safer equipment operation increases your productivity and saves you money. Most of the equipment we rent requires a skilled and practiced operator. ALL offers job-specific training and instruction on the proper use of equipment in accordance with OSHA regulations.

ALL’s new 9,000-lb Lull helping to build the Homewood Suites, Beachwood, Ohio. Fully extended to the sixth floor, this heavy lifter also offers amazing extension, making it a beast on any job site.



TELESCOPIC FORKLIFTS

Platform Height	Wheel	Capacity	Platform Dimensions Plus Extension
50'	4WD	2,000 lbs	74" x 168" + 4'
43'	4WD	1,500 lbs	86" x 150" + 4'
43'	4WD	1,000 lbs	64" x 115" + 4'
41'	4WD	1,700 lbs	70" x 138" + 4'
40'		800 lbs	65" x 115" + 3'
35'	4WD	1,000 lbs	64" x 116" + 4'
32'	4WD	1,000 lbs	56" x 96" + 4'
32'		850 lbs	57" x 84" + 3'
32'		700 lbs	42" x 84" + 4'
31'	4WD	2,500 lbs	70" x 138" + 4'
27'	4WD	1,500 lbs	64" x 116" + 4'
26'		1,000 lbs	42" x 84" + 4'
26'		500 lbs	28" x 84" + 3'
25'		800 lbs	44" x 90" + 3'
20'		900 lbs	28" x 84" + 3'
19'		550 lbs	26" x 64" + 3'
19'		500 lbs	29" x 64" + 3'
15'		600 lbs	
12'		500 lbs	

The list at left is as comprehensive a menu of equipment as any crane rental company could offer, and our inventory of each of the specific models is immense. Many units are equipped with four-wheel drive, four-wheel steer, or generators. As with any ALL equipment for rent, manned or bare rentals are available.

At left is our equipment guide, but check [www.allcrane.com/RentEquipmentFleet.aspx](http://www.allcrane.com/RentEquipmentFleet.aspx) for updates.





MANITEX SKY CRANE MODEL SC62

The Model SC62 is an ideal sign crane. But at ALT, we make the boom truck you need. We determine the capacity and features of the crane you want to purchase. Give us your “needs list” and we can customize a crane that best fits the services you provide to your customers. Or you can choose from hundreds in our fleet.



NATIONAL SERIES 1400

The 1400 combines a 33-ton capacity with best-in-class boom length for an unbeatable workhorse. “H” style outriggers provide unsurpassed stability, while an enclosed operator’s cab offers excellent protection from inclement weather. Four- and five-section booms available. We customize your boom truck with features and options to make your job easier.

boom trucks

BOOM TRUCKS

ALT Sales Corp., founded in 1964, is a stand-alone division of the ALL Family of Companies, but draws from the complementary resources and buying power of ALL Erection & Crane Rental. ALT is the premier source for the largest selection of the world’s best names in boom trucks for sale, rental, and leasing, including Manitex, National, Tadano, and Terex. Core markets in which their products are used include utilities and forestry, general contracting, sign erection, roofing, crane rental operations, specialty services, and the precast and brick/block industries.


We service all makes and models and provide maintenance on an as-needed basis or as part of a scheduled service and maintenance program. Our skilled technicians assemble and service hundreds of boom trucks per year.



THE ALL ADVANTAGE

We stock the trucks you need! Manitex Sky Cranes are available with 62-ft to 97-ft working heights—all with superior lifting capabilities and full array of options. We offer a full line of boom trucks—up to 55 ton—with basket working heights to 210 ft.

Manufacturer	Manitex
Model	SC62
Nominal Rating	6,000 lbs @ 5'
Work Area	360°
Maximum Tip Height	56'
Maximum Working Height	62'



Manufacturer	National
Model	1400
Maximum capacity	33 USt
Maximum boom extension	127'
Maximum tip height	164'

BOOM TRUCKS

Manufacturer	Model	Tonnage	Boom	Jib	Max.	Swing BT
					Tip Ht.	
Manitex	SC97		97'	Jiblet	97'	Platform
Manitex	SC85		85'	Jiblet	85'	Platform
Manitex	SC75		70'	Jiblet	75'	Platform
Manitex	SC65		60'	Jiblet	65'	Platform
Manitex	SC62		57'	Jiblet	62'	Platform
Manitex	5002S	50	96'-155'	30'-55'	210'	Swing
Manitex	4502S	45	96'	30'-55'	155'	Swing
Manitex	4002S	40	77'-124'	30'-55'	190'	Swing
Manitex	3502C	35	77'-124'	30'-55'	165'	Stand up
Manitex	3001C&S	30	71'-102'	26'-46'	157'	Both
Manitex	2892C&S	28	71'-103'	26'-46'	149'	Both
Manitex	2601C	26	101'	29'	141'	Stand up
Manitex	2200S	22	52'-81'	29'-52'	133'	Stand up
Manitex	1700C	17	70	40'	118'	Stand up
National	NBT55	55	102'-128'	26'-45'	179'	Swing
National	NBT50	50	102'-128'	26'-45'	179'	Swing
National	NBT45	45	103'-142'	31'-55'	190'	Swing
National	NBT40	40	79'-142'	31'-55'	190'	Swing
National	NBT36	36	79'-127'	31'-55'	166'	Swing
National	1400H	33	69'-127'	30'-54'	167'	Stand up
National	1400A	33	100'-127'	30'-54'	171'	Swing
National	NBT30H	30	69'-110'	25'-44'	163'	Stand up
National	13110A	30	69'-110'	25'-44'	163'	Swing
National	11105	28	69'-105'	25'-44'	157'	Stand up
National	900A	26	69'-103'	25'-44'	156'	Stand up
National	900H	26	69'-105'	25'-45'	156'	Stand up
National	800D	23	51'-100'	25'-44'	152'	Stand up
National	600H	20	38'-90'	25'-45'	144'	Stand up
National	600E	20	38'-90'	25'-45'	144'	Stand up
National	500E	18	60'-71'	23'-41'	121'	Stand up
National	400B	10	37'-56'	18'	84'	Stand up
National	300C	8	28'-47'	15'	62'	Stand up
Terex	BT70100	35	100'	26'-55'	165'	Stand up
Terex	RS70100	35	100'	26'-55'	165'	Swing
Terex	BT28106	28	106'	30'-47'	163'	Stand up
Terex	BT5092	25	92'	26'-44'	146'	Stand up
Terex	BT4792	23.5	92'	26'-44'	146'	Stand up
Terex	BT3870	19	70'	24'-40'	120'	Stand up
Terex	TM3851	19	51'	29'	90'	Tractor mt
Terex	BT3036	15	63'	24'-40'	113'	Stand up
Terex	BT2047	10	47'	18'-30'	87'	Stand up
Terex	BT2057	10	57'	22'-36'	103'	Stand up
Tadano	TM35100	35	100		120'	Swing cac
Tadano	TM20110	20	110		120'	Stand up
Tadano	TM1882	18	82	No	92'	Tractor mt
Tadano	TM1052	10	52	No	62'	Stand up
Altec	AC38-127S	38	127'	31'	168'	Swing
Altec	AC35-127S	35	127'	31'	168'	Swing
Altec	AC30-103S	30	103'	26'-44'	157'	Swing
Altec	AC28-103B	28	103'	26'-44'	157'	Stand up
Altec	AC26-103B	26	103'	26'-44'	157'	Stand up
Altec	AC23-95B	23	95'	26'-44'	149'	Stand up
Altec	AC18-70B	18	70'	24'-40'	120'	Stand up

KNUCKLES

Manufacturer	Model	Boom	Swing BT
Fassi	F20 - F1500	NA	Stand up
Terex	380	NA	Stand up
Terex	345	NA	Wallboard
Rotobec	80 and 60s	27'	Log loaders

Visit [www.altsales.com](http://www.altsales.com) for more information. Easy to navigate and deep with features, the site includes a new Build-A-Boom service that helps buyers find the exact boom truck to serve their needs.



# heavy hauling



## HEAVY HAULING & SPECIALIZED TRANSPORT

The ALL Family of Companies’ trucking fleet includes over 350 tractors and over 1,700 trailers to ensure faster delivery across a broader geographic footprint. This enables us to offer 24/7 service. It also helps us deliver our own cranes to sites without depending on outside carrier fleets. This ensures on-time delivery, faster turnaround times and less downtime. In addition, many branches offer nationwide trucking through independently owned specialized trucking divisions.



### THE ALL ADVANTAGE

We are your transportation specialists when it comes to heavy hauling. We offer the highest quality of service with regard to safety and dependability in local or long-distance hauling. Our specialized transport division has ICC authority in 48 states. Honored members of SC&RA, the Specialized Carriers & Rigging Association, we have the capabilities and expertise to move our equipment (or yours) on time, anywhere in the continental United States.

# locations



### ALL MIDWEST REGION

**Corporate Headquarters**  
ALL Erection & Crane Rental Corp.  
4700 Acorn Dr.  
Cleveland, OH 44131  
216-524-6550 • Fax 216-642-7633

ALL Crane Rental Corp.  
683 Oakland Park Ave.  
Columbus, OH 43224  
614-261-1800 • Fax 614-261-9935

ALL Crane Rental Corp.  
17960 State Route 7  
Marietta, OH 45750  
740-568-0100 • Fax 740-568-0600

ALL Aerials, LLC  
4945 Brecksville Rd.  
Richfield, OH 44286  
330-659-9600 • Fax 330-659-0697

ALL Tower, LLC  
3230 Columbia Rd.  
Richfield, OH 44286  
330-659-0777 • Fax 330-659-0877

ALT Sales Corp.  
4945A Brecksville Rd.  
Richfield, OH 44286  
330-659-2100 • Fax 330-659-0716

ALL Crane Rental of Pennsylvania, LLC  
P.O. Box 505, Route 837  
West Elizabeth, PA 15088  
412-382-4200 • Fax 412-382-4205

ALL Crane & Equipment Rental Corp.  
6540 MacCorkle Ave. SW  
St. Albans, WV 25177  
304-766-0300 • Fax 304-766-0306

### ALL CANADA REGION

ALL Canada Cranes & Aerials  
7215 Torbram Rd.  
Mississauga, ON L4T 1G7  
905-795-1090 • Fax 905-795-1121

ALL Canada Cranes & Aerials  
1648 Pioneer Rd.  
Sudbury, ON P3G 1E2  
705-522-1941 • Fax 705-522-1942

ALL Canada Cranes & Aerials  
111 Glencoe Dr.  
Mount Pearl, NL A1N 4S7  
709-747-0306 • Fax 709-747-0268

### CENTRAL LOCATIONS

Central Contractors Service, Inc.  
4655 West 137th St.  
Crestwood, IL 60445  
708-239-7940 • Fax 708-385-6035

Central Crane Rental Service, LLC  
525 South Vermont St.  
Palatine, IL 60067  
847-991-1000 • Fax 847-991-5917

Central Rent-A-Crane, Inc.  
4240 Pine Creek Rd.  
Elkhart, IN 46516  
574-295-8877 • Fax 574-295-8959

Central Rent-A-Crane, Inc.  
3400 Engle Rd.  
Fort Wayne, IN 46809  
260-747-8877 • Fax 260-747-8876

Central Rent-A-Crane, Inc.  
5725 Kennedy Ave.  
Hammond, IN 46323  
219-989-7500 • Fax 219-989-7513

### ALL SOUTHERN REGION

ALL Crane Rental of Georgia, Inc.  
485 Riverside Pkwy.  
Austell, GA 30168  
770-944-3900 • Fax 770-732-3151

ALL Crane Rental of Georgia, Inc.  
4863 Milgen Rd.  
Columbus, GA 31907  
706-561-3131 • Fax 706-561-2899

ALL Carolina Crane & Equipment, LLC  
6108 Triangle Dr.  
Raleigh, NC 27617  
919-782-2561 • Fax 919-785-1101

ALL Carolina Crane Rental of  
Wilmington, LLC  
10481 US Highway 117 S  
Rocky Point, NC 28457  
910-675-9632 • Fax 910-675-9633

ALL Carolina Crane Rental, LLC  
2811 Carner Ave.  
North Charleston, SC 29405  
843-747-2018 • Fax 843-747-2019

ALL Crane Rental of Tennessee, LLC  
1126 Dutch Valley Dr.  
Knoxville, TN 37918  
865-686-0707 • Fax 865-686-0495

### ALL GULF REGION

ALL Crane Rental of Alabama, LLC  
3425 Anton St.  
Whistler, AL 36612  
251-338-1694 • Fax 251-338-1699

ALL Sunshine Crane Rental Corp.  
2093 Apopka Blvd.  
Apopka, FL 32703  
407-880-2222 • Fax 407-880-1122

ALL Crane Rental of Florida, LLC  
6429 Harney Rd.  
Tampa, FL 33610  
813-622-7357 • Fax 813-622-7787

ALL Crane Rental of Louisiana  
37316 Highway 74  
Geismar, LA 70734  
800-232-4100

### DAWES LOCATIONS

Dawes Rigging & Crane Rental, Inc.  
E8670 555th Ave.  
Elk Mound, WI 54739  
715-879-4800 • Fax 715-879-4805

Dawes Rigging & Crane Rental, Inc.  
2401 Hyland Ave.  
P.O. Box 50  
Kaukauna, WI 54130  
920-766-0100 • Fax 920-766-5323

Dawes Rigging & Crane Rental, Inc.  
4710 Helgesen Dr.  
Madison, WI 53718  
608-221-2516 • Fax 608-221-3270

Dawes Rigging & Crane Rental, Inc.  
805 South 72nd St.  
P.O. Box 44080  
Milwaukee, WI 53214  
414-453-5335 • Fax 414-453-2494

### JEFFERS LOCATIONS

Jeffers Crane Service, Inc.  
P.O. Box 807  
Highland, MI 48357  
419-693-0421 • Fax 419-693-0210

Jeffers Crane Service, Inc.  
1119 South Metcalf St.  
Lima, OH 45804  
419-223-9010 • Fax 419-224-6982

Jeffers Crane Service, Inc.  
5421 Navarre Ave.  
Oregon, OH 43616  
419-693-0421 • Fax 419-693-0210





***ALL***<sup>®</sup>  
*Erection &*  
**CRANE RENTAL**

**Corporate Headquarters**

**ALL Erection & Crane Rental Corp.**

4700 Acorn Dr. | Cleveland, OH 44131

800-232-4100 | 216-524-6550 | Fax 216-642-7633